

Psychotherapy Outcomes Model


This is an outcomes logic model for Psychotherapy of any type modeled in DoView Outcomes Software and drawn according to the Easy Outcomes Model Guidelines. This is a very simplistic outcomes logic model for psychotherapy and more detail could be added to it in the future and alternative approaches modeled. ● www.DoView.com
● www.EasyOutcomes.org/guidelines/outcomesguidelines.html

Additional material is provided on this model. Indicators and evaluation questions have been mapped onto the model.

This material is covered under a Creative Commons Copyright. This means that you are free to use this model for most commercial and non-commercial uses as long as you include the acknowledgment below. Further information on how you can use this model is available at www.outcomesmodels.org.

How to acknowledge this model if you are using or amending it for use: 1) Please include the acknowledgment slice (or its contents) which is at the end of this model at the end of your version of the model. 2) Please include the following acknowledgment at the front of the model: This model has drawn on the Psychotherapy Outcomes Model V1-0 modeled in DoView Outcomes Software (www.outcomesmodels.org).

psychotherapy20.doview




Click on triangle

Psychotherapy Outcomes Model V1-1 outcomesmodels.org

High-level outcomes at top

Summary outcomes logic model of psychotherapy with possible indicators & evaluation questions



Psychotherapy Outcomes Model V1-1


Psychotherapy outcomes model additional material on evaluation questions and indicators

This additional material takes the psychotherapy model and maps a number of indicators and evaluation questions onto the model. For more information on this type of mapping see Easy Outcomes. ● www.EasyOutcomes.org

Attributable indicators (ones which it is accepted are caused by a particular player) have an 'A' after them. 'NA' means that they are non-attributable indicators. Evaluation questions have either an 'O' after them for outcome evaluation questions, an 'F' for formative evaluation questions or a 'P' for process evaluation questions.

High-level outcomes at top

Outcomes logic model of psychotherapy with possible indicators & evaluation questions



Psychotherapy Outcomes Model V1-1

Acknowledgment

This Psychotherapy Outcomes Model was built by Dr Paul Duignan.

If amending this model to build a new model, please include this page in the model and a summary acknowledgment as follows: The building of this model has drawn on the Psychotherapy Outcomes Model V1-0 modeled in DoView Outcomes Software (available from www.outcomesmodels.org). Its usage is covered by a Creative Commons copyright which allows most commercial and non-commercial uses with acknowledgement. For more information see the outcomesmodels.org site.

Standard Disclaimer

Outcomesmodels.org and those associated with it make no explicit or implicit claim that this model is complete or fit for any purposes for which it may be used by others and are not liable in any way whatsoever for the way in which others use this model or any consequences which arise from usage of this model.